


SRDF2 and duplex for front/back copying or printing



DF-78, an optional finisher that saves on costs and space

- 1 long-life mono-component toner: up to 34,000 copies
- 2 touch-screen console for easy operation management
- 3 DF-75, an optional advanced finisher for saddle binding or stapling and punching



OLIVETTI d-COPIA 300 DIGITAL COPIER



www.olivettitecnost.com

olivetti

Product performances
are referred to an appropriate use
under optimal conditions.
With the right to change technical
specifications.
The registered trademarks are the
property of their respective
owners.

The d-Copia 300 is distributed by
Olivetti Tecnost S.p.A.

Tip. Ivreagrafica (02/04)
Code: 3889453 - 01



Mutual understanding.

**OLIVETTI d-COPIA 300
DIGITAL COPIER**



olivetti

IF YOU'RE LOOKING FOR A DIGITAL COPIER THAT WILL SHARE YOUR DAILY WORKLOAD IN PERFECT HARMONY, THE OLIVETTI d-COPIA 300 IS JUST WHAT YOU NEED. BECAUSE THE d-COPIA 300 IS NOT JUST A 30-PAGE-PER-MINUTE PROFESSIONAL DIGITAL COPIER, IT'S ALSO A PRINTER, A SCANNER AND A FAX: A COMPLETE MULTIFUNCTIONAL MACHINE, IN OTHER WORDS. WHEN THE d-COPIA 300 OPERATES ON A NETWORK, EVERYONE HAS ACCESS TO ITS MULTIFUNCTIONAL CAPABILITIES, EVEN AT A DISTANCE; SO, FOR EXAMPLE, THEY CAN SEND AND RECEIVE FAX MESSAGES WITHOUT LEAVING THEIR PCS. WHAT'S MORE, THE OLIVETTI d-COPIA 300 COMES WITH PROFESSIONAL SOFTWARE APPLICATIONS WHICH INTEGRATE PAPER-BASED AND ELECTRONIC DOCUMENTS INTO A SINGLE DIGITAL STORAGE SYSTEM, TO KEEP INFORMATION FLOWS SMOOTH AND EFFICIENT.

d-Copia 300



built-in 20 GB hard disk and SuperG3 fax connection



network interface and optional scanner/printer interfaces

MAN AND MACHINE: DAILY HARMONY

When you work with a machine every day, you need to be on harmonious terms.

It's easy to get on with the Olivetti d-Copia 300; and this is one of the reasons why it's ideal for small offices with little space to spare, that want high performance as well as open solutions to support document sharing. With the Olivetti d-Copia 300, you actually save office space, because its multifunctional technology provides all the capabilities previously handled by separate machines: copier, fax, printer and scanner.

The d-Copia 300 is physically small, but it does everything on a grand scale: for example, the scanner function captures documents at a speed of 50 scans per minute, thanks in part to a powerful CPU, which delivers 500MHz on the printer connection.

The Olivetti d-Copia 300 is smart, but practical and easy to use: its intuitive touch-screen display uses the same tried and tested communication modes as all Olivetti copiers, for immediate operability.

MULTIFUNCTIONALITY TO KEEP THINGS RUNNING SMOOTHLY

In a network environment, the Olivetti d-Copia 300 opens up office horizons

with a complete range of advanced capabilities.

Everyone will be impressed with the scanner, which uses latest-generation Paper Port software to sort and catalogue scanned documents: an important first step towards creating a digital filing system to manage key documents. With the d-Copia 300 you can also transmit fax messages directly from your PC, without having to print them out first. And with the SDRF2 reversing document feed you can automatically pass and store 100-page documents, printed on both sides of the paper, at a speed of 50 scans per minute.

TOP PERFORMANCE AS A STANDARD FEATURE

Efficiency is the keyword of the d-Copia 300. This machine offers far more than conventional copiers in its category: the 30 copies it produces per minute have the guarantee of Olivetti digital quality. And for particularly heavy workloads, the two network ports mean you can scan and copy from the PC, immediately and directly.

The Olivetti d-Copia 300 also offers an impressive choice of sorters to guarantee the perfect solution for all requirements.

For example, if you want productivity without taking up space, the DF78 finisher

is the answer: no pedestal is required because the finisher becomes an integral part of the machine, with a catch tray for 250 pages, taking up minimum space at a decidedly affordable price.

Another option for the d-Copia 300 is the DF75, a sophisticated finisher that boosts paper management to 2000 cut sheets, and provides a range of personalised functions such as production of booklets for enhanced presentation of your work.

These and many other Olivetti finisher options ensure complete satisfaction.

IMPROVED COST SAVINGS FOR GREATER PEACE OF MIND

Cost control is critical in any business, and in this area the Olivetti d-Copia 300 is certainly second to none.

First of all, it uses state-of-the-art technology to keep running costs down; specifically, a long-life drum for 400,000 copies and a mono-component toner for 34,000 copies.

Impressive numbers: at the same time, the status of supplies and of the machine itself can be monitored from your computer or from your service engineer's computer, so you can order new supplies or arrange for servicing as required.

Features that provide extra peace of mind, for truly total harmony.

d-Copia 300

DIGITAL COPIER



TECHNICAL SPECIFICATIONS

Type desktop/console

Desktop

Technology

Monocomponent, Single laser

Resolution

600 x 600 dpi

Pages per minute

30 cpm

Output sizes max./min.

A3R/B6R, Folio, envelopes

Greyscale

256

Standard paper supply

2 x 550 sheets. Bypass: 200 sheets

Dimensions

585 x 646 x 745 mm

Weight

82 kg

Power

220 - 240 Vac, 50/60 Hz, 5.7 A (average)

Absorption

1450 W max

Warm-up time

Normal: 25 sec. or less, when preheated: 10 sec. or less

COPIER FUNCTION

Copy method

Semiconductor laser

Scanning system

Flat bed scanning by CCD Image Sensor

Printing method

Semiconductor laser and electrophotography

First copy

3,9 sec. or less

Copy speed

30 cpm

Continuous copy

Up to 999

Memory

64 MB RAM option: 20GB HDU (HD-70)

Originals

Sheets, Books, 3-D objects

Copy formats

A3R-B6R, Folio, 11" x 17" - 5.5" x 8.5"R, envelopes

Copy weights

Drawer/deck: 60-105 g/mm, Bypass: 45-200 g/mm, Duplexing: 64-80 g/mm

Paper capacity (80 gr/m²)

Trays: 500 sheets x 2, Bypass: 200 sheets, Trays (optional) 200 sheets x 2 (PF-70); Tray (optional): 3000 sheets (PF-75)

Output capacity

Upper stack tray: max.250 sheets

Pre-set reproduction ratios

5E/5R

Zoom

25-400 % (step 1%)

Image density regulation

Manual/Automatic

AUTO DUPLEX COPY

System

Non-stacking

Copy size

A3-A5R, Folio, 11" x 17"-5,5" x 8,5"R

Paper thickness

64-80 g/m²

Functions

Multiple Copy, Copy density control, Automatic density control, Image mode, Auto paper selection, Auto magnification selection, Manual selection, 100% magnification/Auto magnification switching, Magnification Copy, Original Size selection, Paper size selection, Transparency selection, Thin paper / thick paper. Interrupt copy, Auto start, Automatic drawer change, Mode program, Function setting conformation, Departmental copy control, Margin shift, Border erase, Original size selection/input, Auto duplex copy, Split copy, Sheet insertion, Transparency + lining paper, Transparency mode, Auto selection, Non-sort copy, Sort copy, Group copy, Stapling, Punch mode, Stacking mode, Multiple copies with one scan, Rotation copy, Black-and-white-inverted copying, Mirror image, Page N° printing, Form overlay, N-up printing, Magazine binding, Book-magazine binding, Size unification, Maintenance mode output, Maintenance mode Simulation output, User initial setting, Continuous scanning auto rotation, Auto rotation/no rotation, Job Built, Job reserve, Image centering, Document management, Repeat copy, Job Queue.

OPTIONS

PLATEN COVER

AUTOMATIC FRONT-BACK DOCUMENT FEEDER (SRDF-2)

Original format

A3-A5R

Original paper weight

ADF mode: 35- 160 g/m², RADF mode: 50 - 120 g/m²

Capacity

100 sheets (A3, B4, Folio/ 11X 17, 8.5 x 14: 70 sheets)

Dimensions

553 x 478 x 121

Weight

10 kg.

PAPER TRAY UNIT (PF-70)

Paper format

A3-A5R, Folio, 11" x 17"-5 1/2" x 8 1/2"

Capacity

500 sheets x 2

Paper weight

75-80 g/m²

Dimensions

585 x 590 x 315

Weight

25 kg

PAPER TRAY UNIT (PF-75)

Paper format

A4, B5, 11" x 8 1/2"

Capacity

3000 sheets

Paper weight

75-80 g/m²

Dimensions

585 x 590 x 315

Weight

35 kg

COPY STAND (CP-25/35)

Dimensions

585 x 590 x 315

Weight

12 kg.

FINISHER UNIT (DF-71E)

Bin

2 bins

Paper format

Main tray:A3/B5/ 11 x 17, 8.5 x 14, 8.5 x 11R. Sub tray: A3/A6/ 11 x 17, 8.5 x 11R, 5.5x 8.5

Paper weight

Main tray: 60-160 mg/m², sub tray: 45-200 g/m²

Capacity

Main tray: 3000 sheets (1500 sheets: A3, B4, A4R/ 11 x 17, 8.5 x 14, 8.5 x 11R), sub tray: 250 sheets (150 sheets: A3, B4, Folio, /11 x17, 8.5 x 14)

Staple

3 positions. 50 sheets (30 sheets: A3, B4/ 11 x 17, 8.5 x 14)

Dimensions

697 x 584 x 1060

Punch

Standard

Weight

11 kg.

FINISHER UNIT (DF-75) - BOOKLET FINISHER

Bin

2 bins

Paper format

Main tray: A3-B5/ 11 x 17, 8.5 x 14, 11 x 8.5 x 11R Booklet tray: A3,B4,A4R/ 11 x 17, 8.5 x 14, 8.5 x 11R

Paper weight

Main tray: 50-200 g/m², Booklet tray: 60-105 g/m²

Capacity

Main tray: 1000 sheets (500 sheets: A3, B4, Folio, A4R/ 11 x 17, 8.5 x 14, 8.5 x 11R). Booklet tray: 20 sets (1-5 sheets), 10 sets (6-10 sheets)

Staple positions

3 positions. 50 sheets (30 sheets:A3, B4, Folio/ 11 x 17, 8.5 x 14) 10 sheets (Saddle staple)

Options: 2 Holes punch (PH-2B)

4 Holes punch (PH-2C)

Swedish holes punch (PH-2D)

Reverse unit(RA-1)

Dimensions

532 x 600 x 910

Weight

App. 38 kg

Punch

Option

FINISHER UNIT (DF-78)**Bin**

1 bin

Paper format

A3-B5/ 11 x 17, 8.5 x 14, 8.5 x 11R

Paper weight

60-105 g/m²

Capacity

500 sheets (250 sheets: A3, B4, A4R/ 11 x 17, 8.5 x 14, 8.5 x 11R)

Stapling

1 position, 30 sheets (20 sheets: A3, B4, Folio/ 11 x 17, 8.5 x 14)

Dimensions

310 x 410 x 160

Weight

app. 9 kg.

FINISHER UNIT (DF-73)**Bin**

1 bin

Paper format

A3-B5/ 11 x 17, 8.5 x 14, 8.5 x 11R

Paper weight

64-128 g/m²

Capacity

1.000 sheets

Stapling

1 position, 30 sheets (20 sheets: A3, B4, Folio/ 11 x 17, 8.5 x 14)

Dimensions

558 x 526 x 916

Weight

25 kg

PRINTER FUNCTIONS**Print system (U)**

Network included

Printing speed

30 ppm

CPU

PowerPC 750CX 500MHz

Memory

Standard: 64 MB (max 576 MB, additional 2 DIMM socket - 32, 64, 128, 256 MB) + HDD 6 GB (HD-4)

Resolution

600 x 600 dpi

Interfaces

High speed Bi-directional parallel (IEEE 1284), USB (high speed), Fast Ethernet 10/100BaseTX Network interface, 2 KUIOLV slots

Languages

PCL6, PjL, Line printer, IBM Pprinter X24E, EPSON LQ-850, Dialblo 630, KC-GL, KPDL3 (PS lev.III° compatible), PDF-direct print

Drivers

Windows 95/98/NT 4.0/ME/2000/XP, Mac OS

Fonts

1 Bitmap fonts, 80 Outline fonts CL6), 136

Outline fonts (KPDL3), 45 types of one dimensional and 1 type of two-dimensional barcodes (PDF-417)

Stapling

With optional finisher: DF-78, DF-71E, DF-75, DF-73

Punching

With optional finisher: DF 71E, DF 75

JOB SEPARATOR**Number trays**

1

Paper format

A3-A5R/ 11 x 17, 8.5 x 14, 11 x 8.5, 8.5 x 11R, 5.5 x 8.5

Paper weight

75-80 g/m²

Tray capacity

100 sheets (no size limit)

Dimensions (package)

570 x 420 x 230

Weight (package)

4 kg

MAIL BOX**Number of trays**

7

Paper out

Face up/Face down

Paper format

A3-A5R/ 11 x 17, 8.5 x 14, 11 x 8.5, 8.5 x 11R, 5.5 x 8.5

Paper weight

64-80 g/m²

Capacity

100 sheets (50 sheets: A3,B4,Folio/ 11 x 17, 8.5 x 14)

Dimensions

510 x 400 x 470

Weight

App. 10 kg

FAX FUNCTION**Lines**

PSTN

Resolution

600x600 dpi

Compatibility

ITU-T Super G3

Data compression system

JBIG, MMR, MR, MH

Modem speed

33.6 kbps

Transmission speed

Less than 3 sec

Memory

Bitmap: 4 MB (Max. 8 MB). Image memory: 4 MB (Max. 8 MB)

Memory content protection

60 minutes (with 16 MB)

Feed

SRDF-2 (100 sheets)

Scanning speed

50 spm

Scanning format

Max A3

Function keys

Yes

One-touch dialling

Yes

Abbreviated dialling

Max 600 numbers

Broadcasting

Max 300 destinations

Reserved access codes

Max 100 codes

Reports/Management lists

Activities report, Confirm report, Settings list, List one-touch keys, List programmed dialling, List group dialling, List encrypted code keys, Access report, Telephone directory list

Other functions

Network faxing, Rotate transmission, Duplex Fax reception, Confidential, Relay and bulletin board transmission and reception, N-up reception, Mailbox, remote diagnostics

OPTIONS**Additional memory**

8 MB (Bitmap memory 4 MB + Image memory 4 MB)

SCANNER FUNCTION (NETWORK BOARD INCLUDED)**System**

Flat bed scanning system with CCD image sensor

Alignment

From exposure to bed: top left. From ADF: centred

Scanning speed

50 spm (600 dpi/A4)

Resolution

600, 400, 300, 200 dpi

Exposure adjustment

Constant lamp

Scan mode

B&W, Text, Photo, Draft, OCR

Max.scan size

A3

Image format

TIFF/PDF

Network protocol

TCP/IP

Compression method

G4 (MMR)

Applicable PC

IBM PC/AT Compatible

Applicable OS

Windows 95/98/Me/NT4.0/2000/XP

Interface

10/100 Base-TX, Twain

Greyscale

256 (2bit error defusion)

Bundled software

DB-Assistant, Scanner file utility, Address book, Address editor, TWAIN Source, PaperPort 8.2

OTHER FUNCTIONS**Original image quality**

Letter/picture

Eco print

Without setting/with setting

Paper selection

Auto paper/priority cassette